

JACKET			
a. Serial No.	f. Foreign Priority	k. Print Claim(s)	p. PTO-1449
b. Applicant(s)	g. Disclaimer	l. Print Fig.	q. PTOL-85b
c. Continuing Data	h. Microfiche Appendix	m. Searched Column	r. Abstract
d. PCT	i. Title	n. PTO-270/328	s. Sheets/Figs
e. Domestic Priority	j. Claims Allowed	o. PTO-892	t. Other

[illegible]

FORM PTO-1449
Commerce
(Modified)U.S. Department of
Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)Applicant: Fang Dong *et al.*

Filing Date: 10/02/00

Group Art Unit:

(37 CFR § 1.98(b))

U.S. PATENT DOCUMENTS

Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applicant / Patentee	Class	Subclass	Filing Date
	1	5,202,231	04/13/93	Drmanac <i>et al.</i>	435/6	436/501	06/18/91
	2	5,492,806	02/20/86	Drmanac <i>et al.</i>	435/5	435/6	04/12/93
	3	5,510,270	04/23/96	Fodor <i>et al.</i>	436/518	435/4	09/30/92
	4	5,429,807	07/04/95	Matson <i>et al.</i>	422/131	422/101	10/28/93
	5	5,599,695	02/04/97	Pease <i>et al.</i>	435/91.1	536/25.3	02/27/95
	6	5,436,327	07/25/95	Southern <i>et al.</i>	536/25.34	53625.3	09/21/89

FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS

		Document Number	Publication Date	Country / Patent Office	Class	Subclass	Translation	
							Yes	No
	7	WO 95/15267	06/08/95	PCT	B44C 1/175	1/17		
	8	WO 96/04374	02/15/96	PCT	C12N 15/11	C12Q 1/68		

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

	9	Abrams <i>et al.</i> , "Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electrophoresis and a GC Clamp," <i>Genomics</i> 7:463-475 [1990];						
	10	Altamirano <i>et al.</i> , "Identification of Hepatitis C Virus Genotypes among Hospitalized Patients in British Columbia, Canada," <i>J. Infect. Dis.</i> 171:1034-1038 [1995];						
	11	Bains and Smith, "A Novel Method for Nucleic Acid Sequence Determination," <i>J. Theor. Biol.</i> 135:303-307 [1988];						
	12	Banerjee <i>et al.</i> , "InhA, a Gene Encoding a Target for Isoniazid and Ethionamide in <i>Mycobacterium tuberculosis</i> ," <i>Science</i> 263:227-230 [1994];						
	13	Barlow and Lehrach, "Genetics by gel electrophoresis: the impact of pulsed field gel electrophoresis on mammalian genetics," <i>Trends Genet.</i> 3:167-171 [1987];						
	14	Borresen <i>et al.</i> , "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," <i>Proc. Natl. Acad. Sci. USA</i> 88:8405-8409 [1991];						
	15	Brow <i>et al.</i> , "Differentiation of Bacterial 16S rRNA Genes and Intergenic Regions and <i>Mycobacterium tuberculosis</i> katG Genes by Structure-Specific Endonuclease Cleavage," <i>J. Clin. Microbiol.</i> 34:3129-3137 [1996];						
	16	Chee <i>et al.</i> , "Accessing Genetic Information with High-Density DNA Arrays," <i>Science</i> 274:610-614 [1996];						
	17	Cockerill, III <i>et al.</i> , "Rapid Identification of a Point Mutation of the <i>Mycobacterium tuberculosis</i> Catalase-Peroxidase (katG) Gene Associated with Isoniazid Resistance," <i>J. Infect. Dis.</i> 171:240-245 [1995];						
	18	Conner, "Detection of sickle cell β^S -globin allele by hybridization with synthetic oligonucleotides," <i>Proc. Natl. Acad. Sci.</i> 80:278-282 [1983];						
	19	Donnabella <i>et al.</i> , "Isolation of the Gene for the β Subunit of RNA Polymerase from Rifampicin-resistant <i>Mycobacterium tuberculosis</i> and Identification of New Mutations," <i>Am. J. Respir. Dis.</i> 11:639-643 [1994];						
	20	Doty <i>et al.</i> , "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Physical Chemical Studies," <i>Proc. Natl. Acad. Sci. USA</i> 46:461 [1960];						
	21	Drmanac <i>et al.</i> , "Sequencing of Megabase Plus DNA by Hybridization: Theory of the Method," <i>Genomics</i> 4:114-128 [1988];						
	22	Eckstein and Lilley (eds.), <i>Nucleic Acids and Molecular Biology</i> , vol. 2, Springer-Verlag, Heidelberg [1988];						

Examiner:

Date Considered:

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

NOV 25 2003

FORM PTO-1449
Commerce
(Modified)

U.S. Department of
Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)

Applicant: Fang Dong *et al.*

Filing Date: 10/02/00

Group Art Unit:

(37 CFR § 1.98(b))

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

- | | |
|----|--|
| 23 | Fedorova <i>et al.</i> , "The Influence of the Target Structure on the Efficiency of Alkylation of Single-Stranded DNA with the Reactive Derivatives of Antisense Oligonucleotides," <i>FEBS Lett.</i> 302:47-50 [1992]; |
| 24 | Fodor <i>et al.</i> , "Light-Directed, Spatially Addressable Parallel Chemical Synthesis," <i>Science</i> 251:767-773 [1991]; |
| 25 | Fodor <i>et al.</i> , "Multiplexed biochemical assays with biological chips," <i>Nature</i> 364:555-556 [1993]; |
| 26 | Frieden <i>et al.</i> , "The Emergence of Drug-Resistant Tuberculosis in New York City," <i>New Engl. J. Med.</i> 328:521-526 [1993]; |
| 27 | Gamper <i>et al.</i> , "Solution Hybridization of Crosslinkable DNA Oligonucleotides to Bacteriophage M13 DNA: Effect of Secondary Structure on Hybridization Kinetics and Equilibria," <i>J. Mol. Biol.</i> 197:349-362 [1987]; |
| 28 | Godard <i>et al.</i> , "Photochemically and Chemically Activatable Antisense Oligonucleotides: Comparison of Their Reactivities Towards DNA and RNA Targets," <i>Nuc. Acids Res.</i> 22:4789-4795 [1994]; |
| 29 | Gogos <i>et al.</i> , "Detection of single base mismatches of thymine and cytosine residues by potassium permanganate and hydroxylamine in the presence of tetraalkylammonium salts," <i>Nucl. Acids Res.</i> 18:6807-6817 [1990]; |
| 30 | Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," <i>Genes and Develop.</i> 3:1344-1355 [1994]; |
| 31 | Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Detection of Mutations in the Genomic DNA," <i>PCR Meth. Appl.</i> 1:34-38 [1991]; |
| 32 | Heym <i>et al.</i> , "Implications of multidrug resistance for the future of short-course chemotherapy of tuberculosis: a molecular study," <i>Lancet</i> 344:293-298 [1994]; |
| 33 | Hughes, "The Resurgence of Tuberculosis," <i>Scrip Magazine</i> , pp. 46-48 [May 1994]; |
| 34 | Jacobs, Jr. <i>et al.</i> , "Rapid Assessment of Drug Susceptibilities of <i>Mycobacterium tuberculosis</i> by Means of Luciferase Reporter Phages," <i>Science</i> 260:819-822 [1993]; |
| 35 | Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," <i>Clin. Infect. Dis.</i> 19:1-8 [1994]; |
| 36 | Kanal <i>et al.</i> , "HCV genotypes in chronic hepatitis C and response to interferon," <i>Lancet</i> 339:1543 [1992]; |
| 37 | Lerman and Silverstein, "Computational Simulation of DNA Melting and Its Application to Denaturing Gradient Gel Electrophoresis," <i>Meth. Enzymol.</i> 155:482-501 [1987]; |
| 38 | Lima <i>et al.</i> , "Implication of RNA Structure on Antisense Oligonucleotide Hybridization Kinetics," <i>Biochem.</i> 31:12055-12061 [1992]; |
| 39 | Liu and Sommer, "Parameters Affecting the Sensitivities of Dideoxy Fingerprinting and SSCP," <i>PCR Meth. Appl.</i> 4:97-108 [1994]; |
| 40 | Marmur and Lane, "Strand Separation and Specific Recombination in Deoxyribonucleic Acids: Biological Studies," <i>Proc. Natl. Acad. Sci. USA</i> 46:453-461 [1960]; |
| 41 | Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," <i>Nucl. Acids Res.</i> 20(7):1675-1678 [1992]; |
| 42 | Morris <i>et al.</i> , "Molecular Mechanisms of Multiple Drug Resistance in Clinical Isolates of <i>Mycobacterium tuberculosis</i> ," <i>J. Infect. Dis.</i> 171:954-960 [1995]; |
| 43 | Murante, R.S., <i>et al.</i> , "The Calf 5'- to 3' Exonuclease Is Also an Endonuclease with Both Activities Dependent on Primers Annealed Upstream of the Point of Cleavage," <i>J. Biol. Chem.</i> 269:1191-1196 [1994]; |
| 44 | Myers <i>et al.</i> , "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," <i>Science</i> 230:1242-1246 [1985]; |
| 45 | Okamoto <i>et al.</i> , "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," <i>J. Gen. Virol.</i> 73:673-679 [1992]; |
| 46 | Orita <i>et al.</i> , "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," <i>Genomics</i> 5:874-879 [1989]; |

Examiner:

Date Considered:

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

NOV 25 2003

TECH CENTER 1600/2900

FORM PTO-1449
Commerce
(Modified)

U.S. Department of
Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)

Applicant: Fang Dong *et al.*

(37 CFR § 1.98(b))

Filing Date: 10/02/00

Group Art Unit:

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

- | | |
|----|--|
| 47 | Parkhurst and Parkhurst, "Kinetic Studies by Fluorescence Resonance Energy Transfer Employing a Double-Labeled Oligonucleotide: Hybridization to the Oligonucleotide Complement and to Single-Stranded DNA," <i>Biochem.</i> 34:285-292 [1995]; |
| 48 | Pertzman and Butow, "Mobile Introns and Intron-Encoded Proteins," <i>Science</i> 246:1106-1109 [1989]; |
| 49 | Sambrook <i>et al.</i> , <u>Molecular Cloning: A Laboratory Manual</u> , 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY [1989]; |
| 50 | Scholz, <i>et al.</i> , "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," <i>Hum. Mol. Genet.</i> 2:2155-2158 [1993]; |
| 51 | Schwillie <i>et al.</i> , "Quantitative Hybridization Kinetics of DNA Probes to RNA in Solution Followed by Diffusional Fluorescence Correlation Analysis," <i>Biochem.</i> 35:10182-10193 [1996]; |
| 52 | Sheffield <i>et al.</i> , "Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction results in improved detection of single-base changes," <i>Proc. Natl. Acad. Sci. USA</i> 86:232-236 [1989]; |
| 53 | Shibata <i>in</i> PCR: <u>The Polymerase Chain Reaction</u> . "Preparation of Nucleic Acids for Archival Material," (eds., Mullis <i>et al.</i>) Boston, pp. 47-54 [1994]; |
| 54 | Shinnick and Jones <i>in</i> <u>Tuberculosis: Pathogenesis, Protection and Control</u> , "Molecular Approaches to the Diagnosis of Tuberculosis," (ed., Bloom), American Society of Microbiology, Washington, D.C. [1994], pp. 517-530; |
| 55 | Smith <i>et al.</i> , "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," <i>Genomics</i> 3:217-223 [1988]; |
| 56 | Southern <i>et al.</i> , "Analyzing and Comparing Nucleic Acid Sequences by Hybridization to Arrays of Oligonucleotides: Evaluation Using Experimental Models," <i>Genomics</i> 13:1008-1017 [1992]; |
| 57 | Studencki <i>et al.</i> , "Discrimination among the Human β^A , β^S , and β^C -Globin Genes Using Allele-Specific Oligonucleotide Hybridization Probes," <i>Human Genetics</i> 37:42-51 [1985]; |
| 58 | Studencki and Wallace, "Allele-Specific Hybridization Using Oligonucleotide Probes of Very High Specific Activity: Discrimination of the Human β^A - and β^S -Globin Genes," <i>DNA</i> 3:1-15 [1984]; |
| 59 | Wallace <i>et al.</i> , "Application of synthetic oligonucleotides to the diagnosis of human genetic diseases," <i>Biochimie</i> 67:755-762 [1985]; |
| 60 | Wallace <i>et al.</i> , "Hybridization of Synthetic Oligodeoxyribonucleotides to $\Phi\chi 174$ DNA: The Effect of Single Base Pair Mismatch," <i>Nucl. Acids Res.</i> 6:3543-3557 [1979]; |
| 61 | Wartell <i>et al.</i> , "Detecting base pair substitutions in DNA fragments by temperature-gradient gel electrophoresis," <i>Nucl. Acids Res.</i> 18:2699-2701 [1990]; |
| 62 | Winter <i>et al.</i> , "A method to detect and characterize point mutations in transcribed genes: Amplification and overexpression of the mutant c-Ki-ras allele in human tumor cells," <i>Proc. Natl. Acad. Sci. USA</i> 82:7575-7579 [1985]; |
| 63 | Woese, "Bacterial Evolution," <i>Microbiological Reviews</i> 51(2):221-271 [1987]; |
| 64 | Yoshioka <i>et al.</i> , "Detection of Hepatitis C Virus by Polymerase Chain Reaction and Response to Interferon- α Therapy: Relationship to Genotypes of Hepatitis C Virus," <i>Hepatology</i> 16:293-299 [1992]; |
| 65 | Yule, "Amplification-Based Diagnostics Target TB," <i>Bio/Technology</i> 12:1335-1337 [1994]; |
| 66 | Zarrinkar and Williamson, "Kinetic Intermediates in RNA Folding," <i>Science</i> 265:918-924 [1994]; |
| 67 | Zarrinkar and Williamson, "The kinetic folding pathway of the <i>Tetrahymena</i> ribozyme reveals possible similarities between RNA and protein folding," <i>Nat. Struct. Biol.</i> 3:432-438 [1996]; |
| 68 | Azhayeva <i>et al.</i> , "Looped Oligonucleotides Form Stable Hybrid Complexes with a Single-Stranded DNA," <i>Nucl. Acids Res.</i> 23(7):1170-1176 [1995]; |
| 69 | Blume <i>et al.</i> , "Divalent Transition Metal Cations Counteract Potassium-Induced Quadruplex Assembly of Oligo(dG) Sequences," <i>Nucl. Acids Res.</i> 25(3):617-625 [1997]; |

Examiner:

Date Considered:

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

NOV 25 2003

TECH CENTER 1800/2000

FORM PTO-1449
Commerce
(Modified)

U.S. Department of
Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)

Applicant: Fang Dong *et al.*

Filing Date: 10/02/00

Group Art Unit:

(37 CFR § 1.98(b))

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

- | | |
|----|---|
| 70 | Brossalina and Toulme, "A DNA Hairpin as a Target for Antisense Oligonucleotides," <i>J. Am. Chem. Soc.</i> 115:796-797 [1993]; |
| 71 | Butorin <i>et al.</i> , "Comparison of the Hydrolysis Patterns of Several tRNAs by Cobra Venom Ribonuclease in Different Steps of the Aminoacylation Reaction," <i>Eur. J. Biochem.</i> 121:587-595 [1982]; |
| 72 | Cech, "Structure and Mechanism of the Large Catalytic RNAs: Group I and Group II Introns and Ribonuclease P," Chapter 11 in <i>The RNA World</i> , Cold Spring Harbor Laboratory Press, New York, pp. 239-269 [1993]; |
| 73 | Clark, "DNA Synthesis on Discontinuous Templates by DNA Polymerase I of <i>Escherichia coli</i> ," <i>Gene</i> 104:75-80 [1991]; |
| 74 | Cload and Schepartz, "Polyether Tethered Oligonucleotide Probes," <i>J. Am. Chem. Soc.</i> 113:6324-6326 [1991]; |
| 75 | Cload <i>et al.</i> , "Kinetic and Thermodynamic Analysis of RNA Binding by Tethered Oligonucleotide Probes: Alternative Structures and Conformational Changes," <i>J. Am. Chem. Soc.</i> 115(12):5005-5014 [1993]; |
| 76 | Delibas <i>et al.</i> , "Natural Antisense RNA/Target RNA Interactions: Possible Models for Antisense Oligonucleotide Drug Design," <i>Nature Biotech.</i> 15:751-753 [1997]; |
| 77 | DeRisi <i>et al.</i> , "Use of a cDNA Microarray to Analyse Gene Expression Patterns in Human Cancer," <i>Nature Genetics</i> 14:457-460 [1996]; |
| 78 | Derrick and Horowitz, "Probing Structural Differences Between Native and <i>In Vitro</i> Transcribed <i>Escherichia coli</i> Valine Transfer RNA: Evidence For Stable Base Modification-Dependent Conformers," <i>Nucl. Acids Res.</i> 21(21):4948-4953 [1993]; |
| 79 | Francois <i>et al.</i> , "Recognition and Cleavage of Hairpin Structures in Nucleic Acids by Oligodeoxynucleotides," <i>Nucl. Acids Res.</i> 22(19):3943-3950 [1994]; |
| 80 | Frischer <i>et al.</i> , "Differential sensitivity of 16S rRNA targeted oligonucleotide probes used for fluorescence in situ hybridization is a result of ribosomal higher order structure," <i>Can. J. Microbiol</i> 42:1061-1071 [1996]; |
| 81 | Guo <i>et al.</i> , "Asymmetric Structure of a Three-Arm DNA Junction," <i>Biochemistry</i> 29:10927-10934 [1990]; |
| 82 | Hohelsel, "Sequence-independent and linear variation of oligonucleotide DNA binding stabilities," <i>Nucl. Acids Res.</i> 24(3):430-432 [1996]; |
| 83 | Lane <i>et al.</i> , "The Thermodynamic Advantage of DNA Oligonucleotide 'Stacking Hybridization' Reactions: Energetics of a DNA Nick," <i>Nucl. Acids Res.</i> 25(3):611-616 [1997]; |
| 84 | Lilley and Kemper, "Cruciform-Resolvase Interactions in Supercoiled DNA," <i>Cell</i> 36:413-422 [1984]; |
| 85 | Lima <i>et al.</i> , "Combinatorial Screening and Rational Optimization for Hybridization to Folded Hepatitis C Virus RNA of Oligonucleotides with Biological Antisense Activity," <i>J. Biol. Chem.</i> 272(1):626-638 [1997]; |
| 86 | Lu <i>et al.</i> , "Effect of Sequence on the Structure of Three-Arm DNA Junctions," <i>Biochemistry</i> 30(24):5815-5820 [1991]; |
| 87 | Ma <i>et al.</i> , "Three-Arm Nucleic Acid Junctions are Flexible," <i>Nucl. Acid Res.</i> 14:9745-9753 [1986]; |
| 88 | Malygin <i>et al.</i> , "Hybridization of Two Oligodeoxynucleotides to Both Strands of an RNA Hairpin Structure Increases the Efficiency of RNA-DNA Duplex Formation," <i>FEBS Letters</i> 392:114-116 [1996]; |
| 89 | Matveeva <i>et al.</i> , "A Rapid <i>In Vitro</i> Method for Obtaining RNA Accessibility Patterns for Complementary DNA Probes: Correlation with an Intracellular Pattern and Known RNA Structures," <i>Nucl. Acids Res.</i> 25(24):5010-5016 [1997]; |
| 90 | Milner <i>et al.</i> , "Selecting Effective Antisense Reagents On Combinatorial Oligonucleotide Arrays," <i>Nature Biotech.</i> 15:537-541 [1997]; |
| 91 | Milosavljevic <i>et al.</i> , "DNA Sequence Recognition by Hybridization to Short Oligomers: Experimental Verification of the Method on the <i>E. coli</i> Genome," <i>Genomics</i> 37:77-86 [1996]; |
| 92 | Mishra <i>et al.</i> , "Targeting nucleic acid secondary structures by antisense oligonucleotides designed through <i>in vitro</i> selection," <i>Proc. Natl. Acad. Sci. USA</i> 93:10679-10684 [1996]; |

Examiner:

Date Considered:

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ED

NOV 25 2003

TECH CENTER 1800/2900

FORM PTO-1449
Commerce
(Modified)



U.S. Department of
Patent and Trademark Office

Attorney Docket No.: FORS-04766

Serial No.: 09/676,768

INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use Several Sheets If Necessary)

Applicant: Fang Dong *et al.*

Filing Date: 10/02/00

Group Art Unit:

(37 CFR § 1.98(b))

OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)

- | | |
|-----|--|
| 93 | Pan <i>et al.</i> , "Divalent Metal Ions in RNA Folding and Catalysis," Chapter 12 in <u>The RNA World</u> , Cold Spring Harbor Laboratory Press, New York, pp. 271-302 [1993]; |
| 94 | Parinov <i>et al.</i> , "DNA Sequencing by Hybridization to Microchip Octa- and Decanucleotides Extended by Stacked Pentanucleotides," <i>Nucl. Acids Res.</i> 24(15):2998-3004 [1996]; |
| 95 | Parsch <i>et al.</i> , "Site-Directed Mutations Reveal Long-Range Compensatory Interactions in the <i>Adh</i> gene of <i>Drosophila melanogaster</i> ," <i>Proc. Natl. Acad. Sci. USA</i> 94:928-933 [1997]; |
| 96 | Richardson and Schepartz, "Tethered Oligonucleotide Probes. A Strategy for the Recognition of Structured RNA," <i>J. Am. Chem. Soc.</i> 113:5109-5111 [1991]; |
| 97 | Rosen and Patel, "Structural Features of a Three-Stranded DNA Junction Containing a C-C Junctional Bulge," <i>Biochemistry</i> 32:6576-6587 [1993]; |
| 98 | Schuster <i>et al.</i> , "RNA Structures and Folding: From Conventional to New Issues in Structure Predictions," <i>Cur. Opin. in Struct. Biol.</i> 7:229-235 [1997]; |
| 99 | Serano and Cohen, "A Small Predicted Stem-Loop Structure Mediates Oocyte Localization of <i>Drosophila K10</i> mRNA," <i>Development</i> 121:3809-3818 [1995]; |
| 100 | Southern, "DNA fingerprinting by hybridization to oligonucleotide arrays," <i>Electrophoresis</i> 16(9):1539-1542 [1995]; |
| 101 | Southern, "DNA chips: analyzing sequence by hybridization to oligonucleotides on a large scale," <i>TIG</i> 12(3):1-6 [1996]; |
| 102 | Strobel and Doudna, "RNA Seeing Double: Close-Packing of Helices in RNA Tertiary Structure," <i>TIBS Reviews</i> 22:262-266 [1997]; |
| 103 | Suo and Johnson, "RNA Secondary Structure Switching During DNA Synthesis Catalyzed by HIV-1 Reverse Transcriptase," <i>Biochemistry</i> 36:14778-14785 [1997]; |
| 104 | Walter <i>et al.</i> , "Coaxial Stacking of Helices Enhances Binding of Oligoribonucleotides and Improves Predictions of RNA Folding," <i>Proc. Natl. Acad. Sci. USA</i> 91:9218-9222 [1994]; |
| 105 | Weiler <i>et al.</i> , "Hybridization Based DNA Screening on Peptide Nucleic Acid (PNA) Oligomer Arrays," <i>Nucl. Acids Res.</i> 25(14):2792-2799 [1997]; |
| 106 | Welch <i>et al.</i> , "Structures of Bulged Three-Way DNA Junctions," <i>Nucl. Acids Res.</i> 21(19):4548-4555 [1993]; |
| 107 | Woese and Pace, "Probing RNA Structure, Function, and History by Comparative Analysis," Chapter 4 in <u>The RNA World</u> , Cold Spring Harbor Laboratory Press, New York, pp. 91-117 [1993]; |
| 108 | Wyatt and Tinoco, "RNA Structural Elements and RNA Function," Chapter 18 in <u>The RNA World</u> , Cold Spring Harbor Laboratory Press, New York, pp. 465-496 [1993]; |
| 109 | Yang and Millar, "Conformational Flexibility of Three-Way DNA Junctions Containing Unpaired Nucleotides," <i>Biochemistry</i> 35:7959-7967 [1996]; |
| 110 | Zhong <i>et al.</i> , "Effects of Unpaired Bases on the Conformation and Stability of Three-Arm DNA Junctions," <i>Biochemistry</i> 33:3660-3667 [1994]; |
| 111 | Zhong <i>et al.</i> , "Effect of T-T Base Mismatches on Three-Arm DNA Junctions," <i>Biochemistry</i> 32:6898-6907 [1993]; |
| 112 | Zuker and Jacobson, "'Well-Determined' Regions in RNA Secondary Structure Prediction: Analysis of Small Subunit Ribosomal RNA," <i>Nucl. Acids Res.</i> 23(14):2791-2798 [1995]; |
| 113 | Uhlen, "Magnetic Separation of DNA," <i>Nature</i> 340:733 (1989) |
| 114 | Southern "Detection of Specific Sequences Among DNA Fragments Separated by Gel Electrophoresis," <i>J. Mol. Biol.</i> 98:503-517 (1975) |

Examiner:

Date Considered:

EXAMINER:

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

RECEIVED

NOV 25 2003

RECEIVED CENTER 1800/2000